


Dechlorinator 1100

System Components
Media Vessel (Qty.) Size(1) 10" x 54"
Media Vessel Construction Wrapped Polyethylene
Empty Bed Volume
Media8 x 16 Mesh Acid Washed Activated Carbon Media
Media Volume
Bed Depth
Free Board
Riser Tube1" ABS
Under bedding 0.25 ft ³ (25 lbs.) Gravel
Service Flow
In lat Water Overlite
Inlet Water Quality
Pressure Range 15 – 125 psi Dynamic Pressure
Temperature Range
pH Range
Free Chlorine Cl ₂ (Max.)
Operating Specs
Service Flow
Weight (Operating / Shipping)300 / 150 lbs.
weight (Operating / Shipping)
Connections
Inlet / Outlet Connections 1.25" Kinetico Custom Adapter and Bracket
Power
System Part Numbers



Estimated Carbon Effectiveness

Inlet Free Cl ₂	Gallons	Time
0.25 mg/L	625,000	36 months
0.5 mg/L	375,000	24 months
1.0 mg/L	250,000	18 months
1.5 mg/L	162,500	15 months
2.0 mg/L	100,000	12 months
3.0 mg/L	50,000	6 months
4.0 mg/L	25,000	3 months
	,	

Operating Profile

System shall remove free chlorine to less than 0.05 mg/L when operated in accordance with the operating instructions. The system shall include one tank. This simplex system is designed to operate in an upflow mode. This configuration allows the unit to run in service without the need for a backwash cycle.

Media Tanks

The tanks shall be designed for a maximum working pressure of 125 psi and hydrostatically tested at 300 psi. Tanks shall be made of polyethylene and reinforced with a fiberglass wrapping. Each tank shall include a 2.5 inch threaded top opening. Each tank shall be NSF approved. Upper and lower distribution system shall be of a slot design. Distributors will provide even flow of water.

Media

Each system shall include an activated, acid washed carbon. The media shall be between 8 and 16 Mesh in particle size.